

Topic: Payment Methods: Stripe & Paypal

Speaker: Personal | Notebook: Health Management System Using Django



This Health System uses the payment methods, Stripe and Paypal.

To test it as a developer in paying via Stripe, use the test card details provided [here](#).

← → ↻ 🔍 https://docs.stripe.com/testing

stripe DOCS

Get started | Payments | Finance automation | Platforms and marketplaces | Banking as a service | **Developer tools**

Overview

VERSIONING

- > Changelog
 - Upgrade your API version
 - Update your SDK version

DEVELOPER TOOLS

- > SDKs
- > API
 - Testing**
 - Test your integration
 - Test mode and use cases
 - > Sandboxes
 - > Workbench
 - > Event Destinations
 - > Stripe CLI
 - > Stripe Shell
 - > Developers Dashboard
 - > Agent toolkit
 - Stripe for Visual Studio Code
 - File uploads
 - Feedback

🇺🇸 United States
🗣️ English (United States)

Cards by brand

To simulate a successful payment for a specific card brand, use test cards from the following list.

Caution
Cross-border fees are assessed based on the country of the card issuer. Cards where the issuer country isn't the US (such as JCB and UnionPay) might be subject to a cross-border fee, even in test mode.

[Card numbers](#) | [PaymentMethods](#) | [Tokens](#)

BRAND	NUMBER	CVC	DATE
Visa	4242 4242 4242 4242	Any 3 digits	Any future date
Visa (debit)	4000 0566 5566 5556	Any 3 digits	Any future date
Mastercard	5555 5555 5555 4444	Any 3 digits	Any future date
Mastercard (2-series)	2223 0031 2200 3222	Any 3 digits	Any future date
Mastercard (debit)	5200 8282 8282 8210	Any 3 digits	Any future date
Mastercard (prepaid)	5105 1051 0510 5100	Any 3 digits	Any future date
American Express	3782 822463 10005	Any 4 digits	Any future date
American Express	3714 496353 98431	Any 4 digits	Any future date
Discover	6011 1111 1111 1117	Any 3 digits	Any future date
Discover	6011 0009 9013 9424	Any 3 digits	Any future date

FRONTEND FOR STRIPE PAYMENT - CHECKOUT.HTML:

```
<script src="https://www.paypal.com/sdk/js?client-id={{paypal_client_id}}&currency=USD"></script>
```

```
<script src="https://js.stripe.com/v3/"></script>
```

```
<script>
```

```

var stripe = Stripe("{{stripe_public_key}}");

var checkoutButton = document.getElementById("stripe-payment");

try {

    checkoutButton.addEventListener("click", function () {

        var email = "{{billing.patient.email}}";

        checkoutButton.innerHTML = "Processing <i class='fas fa-spinner fa-spin ms-2'></i>";

        fetch("/stripe_payment/{{billing.billing_id}}/", {

            method: "POST",

            body: JSON.stringify({ email: email }),

        })

        .then(function (response) {

            return response.json();

        })

        .then(function (session) {

            return stripe.redirectToCheckout({ sessionId: session.sessionId });

        })

        .then(function (result) {

            if (result.error) {

                alert(result.error.message);

            }

        })

        .catch(function (error) {

            console.log("Error: ", error);

        });

    });

} catch (error) {

    console.log(error);

}

</script>

```

For Paypal, use the Sandbox. If you are testing as the MERCHANT, use the business account. If you are testing as the buyer, use the PERSONAL ACCOUNT. See the documentation [here](#).

Home / Sandbox / Accounts

Sandbox accounts

API **Current** Last updated: Sept 16th, 4:49pm

Overview

The PayPal sandbox supports these account types:

Account type	Represents
Personal	The customer in a transaction.
Business	The merchant in a transaction.

To test a typical PayPal transaction, you must use both types of accounts.

When you register as a PayPal developer on the [developer site](#), the PayPal sandbox creates these sandbox accounts:

- A business account and associated API test credentials. For example, `pp_merch01-facilitator@example.com`.
- A default personal account. For example, `pp_merch01-buyer@example.com`.

You can [create additional sandbox accounts](#) on the developer site or directly on the sandbox site, <https://www.sandbox.paypal.com>.

FRONTEND FOR PAYPAL PAYMENT - CHECKOUT.HTML:

```
<script src="https://www.paypal.com/sdk/js?client-id={{paypal_client_id}}&currency=USD"></script>
```

```
<script>
```

```
function initPayPalButton() {
```

```
  paypal
```

```
  .Buttons({
```

```
    style: {
```

```
      shape: "rect",
```

```
      color: "gold",
```

```
      layout: "vertical",
```

```
      label: "paypal",
```

```
    },
```

```
    createOrder: function (data, actions) {
```

```
      return actions.order.create({
```

```
        purchase_units: [{ amount: { currency_code: "USD", value: "{{billing.total}}" } }],
```

```
      });
```

```
    },
```

```
    onApprove: function (data, actions) {
```

```
      return actions.order.capture().then(function (orderData) {
```

```
        // Full available details
```

```
        console.log("Capture result", orderData, JSON.stringify(orderData, null, 2));
```

```
        // Show a success message within this page, for example:
```

```
        const element = document.getElementById("paypal-button-container");
```

```
        element.innerHTML = "";
```

```
    element.innerHTML = "<h5>Verifying payment...</h5>";

    window.location.href = `/paypal_payment_verify/${billing.billing_id}?transaction_id=${orderData.id}`;
  });
},
onError: function (err) {
  //console.log(err);

  console.error("PayPal Button Error:", err);

  alert("An error occurred during the payment process. Please try again.");
},
})

.render("#paypal-button-container");
}

initPayPalButton();
</script>
```