Topic: Car Listing: Django Messages Part 12B

Speaker: Udemy Instructor Rathan Kumar | Notebook: Django Project: Car Listing



- 1. See the DJANGO MESSAGES FRAMEWORK documentation here.
- 2. We copy this block into SETTINGS.PY and modify this.

FROM:

```
from django.contrib.messages import constants as messages

MESSAGE_TAGS = {
    messages.INFO: "",
    50: "critical",
}
```

TO:


```
Carzone-Project
                           uris.py accounts U
                                                                             views.py accounts U
                           carzone > 🌵 settings.py > ...
               ET ひ 🗐 …

∨ CARZONE-PROJECT


✓ cars

                            134 STATICFILES DIRS = [
  __init__.py
                                       os.path.join(BASE_DIR, 'carzone/static'),
 admin.py
 apps.py
 tests.py
 urls.py
                                   MEDIA_ROOT = os.path.join(BASE_DIR, 'media')
 views.py
                                  MEDIA_URL = '/media/'
 carzone
  > __pycache_
  > static
 __init__.py
                      м
                                   MESSAGE_TAGS = {
 settings.py
 urls.py
                                       messages.ERROR: 'danger',
 wsgi.py
 > env
                             14
 > pages
 > photos
```


```
<!-- this is for flash messages we show on our web pages
classes here are from the bootstrap.
{% if messages %}
{% for message in messages %}
<div id="message" class="container">
 <button type="button" class="close" data-dismiss="alert"><span aria-hidden="true">&times;</span></button>
   <strong>
     {% if message.level == DEFAULT_MESSAGE_LEVELS.ERROR %}
     Error:
     {% else %}
      {{mesaage.tags|title}}
     {% endif %}
   </strong>
   {{message}}
 </div>
</div>
{% endfor %}
{% endif %}
```



4. To use the message framework, go to ACCOUNTS\VIEWS.PY and update as



5. Now to display this message on our webpage like REGISTER.HTML, update the REGISTER.HTML. You have to write the line for the error message in the location you want to see it.



6. If you want your ERROR MESSAGE TO DISAPPER IN A GIVEN TIME instead of closing it, update your CARZONE\STATIC\JS\APPS.JS file as:

```
//time-controlled function (4 ms) for customized messages
setTimeout(function () {
    $('#message').fadeOut('slow');
}, 4000)
```

```
×

∨ CARZONE-PROJECT

Ф
                               400 (Tunction (≯) {
      · apps.py
                                          $(window).resize(function () {
Q
      models.py
                                                                  minimai-dark
      urls.py
                                                  $('.map-content-sidebar').css('height', $(this).height() - 110);

∨ cars

                                                  $('.map-content-sidebar').mCustomScrollbar("destroy"); //destroy
      > migrations
                                                  $('.map-content-sidebar').css('height', '100%');
      __init__.py
      admin.py
}).trigger("resize");
      apps.py
      models.py
                                     })(jQuery);
      tests.py
      urls.py
      views.py
                                          $('#message').fadeOut('slow');
      > _pycache_
      static
       > css
                                     }, 4000)
       > fonts
       JS app.js
       JS bootstrap-select.min.js
       JS bootstrap-submenu.js
```

- 7. Run a COLLECTSTATIC for all updates made from the CARZONE\STATIC FILES AND FOLDERS.
- \$ python manage.py collectstatic
- 8. Run the server again. If the message does not disappear in 4 milliseconds, reload your REGISTER.HTML, VIEW THE PAGE SOURCE and open the APPS.JS to see if it has our SETTIMEOUT function. Reload again the webpage and test.

It should disappear after 4MS.

9. You may now continue with your USER REGISTRATION.

Copyright © Personal Digital Notebooks | By Rosilie | Date Printed: Dec. 14, 2025, 6:42 p.m.